



YHW-SURF



ACCESSORIES BROCHURE

**DANYANG HENDERSON
SPORT CO.,LTD**

Product accessories
High-end customization

Address: No.88 Xingfeng south road, Danyang economic zone,
Danyang city, Jiangsu province, China 212300

Tel: +86-511-86227308 13952833184

Web: www.enjoytopsport.com **Email:** yhw@enjoytopsport.com

CONTENTS

Company Profile

01 Sup Leash

02 Sup Fins

03 Sup Paddle

04 Sup Non-slip Mat

05 Sup Pump

06 Other Accessories

CONTENTS

COMPANY PROFILE

Company was founded by Mr. Yi in 2014, dedicated to provide high quality, diversified, high-performance inflatable surfboards and accessories to domestic and foreign customers. Located at Xinfeng South Road, the development zone of Danyang City, Jiangsu Province, advantageous geographical location, convenient transportation.

Since the establishment of the company, always adhere to the talent-based, integrity management principle, expand the product line from surf rope to non-slip pads, fins, bags, paddles, inflatable surfboards and more etc., improve the types of surfing products constantly, so that enterprises in the fierce market competition always Maintain competitiveness and achieve rapid and stable development of the enterprise.

Since establishment, has been "customer first, reputation first" spirit, "excellent quality products to win customers" and "use perfect service to return customers" business philosophy, develop and become the industry leader quickly, the products have been sold to all over the world, deeply by the majority of customers welcome. In the next few years, the company will continue to improve the product structure, adhere to the quality of victory, for casting brand services.



The product has CE certification



SGS



Foot rope tension test report



01 | SUP LEASH

LEASH

VOLUME LEASH



Product Parameters:

- 【Product Name】 : Surf foot rope
- 【Rope material】 : TPU polyurethane elastic
- 【Cuff material】 : SBR rubber foam sponge + Velcro
- 【Rotary joint】 : 304/316L stainless steel or copper
- 【Tail fabric】 : High strength ribbon + Velcro + nylon rope
- 【Straight diameter】 : 5mm, 6mm, 7mm, 8mm
- 【size】 : 6"-12"



Color, pattern, length and logo can be customized

Foot ring



Rope Diameter: 7mm



Coiled leash: 0.5m (1.7feet)



Stretched leash: 3m (10feet)



SBR sponge Velcro anklet
thick and soft
fully improve ankle comfort

Stainless steel adapter
360 degree rotation,
integrated molding, durable



Tail 360 degree rotation
+ high density webbing

Double Velcro suture
+ paddleboard connection nylon rope



Type of leash

Different leash interfaces are also different,
Mainly divided into integrated interface, split interface and knotted interface

Integrated interface



One piece cannot be split

Product Details




Foot ring

Paddle board
connection rope

Stretch rope

Double stainless
steel rotating
column



One piece cannot be split

Product Details



Foot ring

Paddle board
connection rope


Stretch rope

Double stainless
steel rotating
column



Split body interface


Product Details



Product Details




Product Details




Knotted interface

Product Details



Product Details



STRAIGHT LEASH




Product Parameters:

- 【Product Name】 : Surf foot rope
- 【Rope material】 : TPU polyurethane elastic
- 【Cuff material】 : SBR rubber foam sponge + Velcro
- 【Rotary joint】 : 304/316L stainless steel or copper
- 【Tail fabric】 : High strength ribbon + Velcro + nylon rope
- 【Straight diameter】 : 5mm, 6mm, 7mm, 8mm
- 【Size】 : 6"-12"




Color, pattern, length and logo can be customized

Foot ring



High quality polyurethane material

The larger the wave, the greater the distance it extends
Keep your board at a safe distance from you



Stainless steel converter head

Stainless steel adapter
360 degree rotation,integrated molding, durable



SBR sponge Velcro anklet

SBR sponge Velcro anklet
thick and soft fully improve ankle comfort



Tail 360 degree rotation + high density webbing

Double Velcro suture
+ paddleboard connectionnylon rope



Integrated interface



Product Details



Foot ring



Paddle board connection rope




TPU cord



Double stainless steel rotating column

Split body interface



Product Details



Foot ring



Paddle board connection rope



TPU cord



Double stainless steel rotating column

Knotted interface



Product Details



Foot ring



TPU cord



Paddle board connection rope



Surf foot rope mainly acts on light surfboard ankle strap/leash traction strap, used for surfboard, surf sup. Designed for all-round surfing. The surfboard rope is used to connect the surfboard to the ankle, legs, hands and body, which plays an important role in sports safety.

Rope material selection of high elastic polyurethane, made of high strength rope, good elasticity, soft, smooth. The two ends of the surf rope are welded by injection molding, which has better bonding strength and appearance than glue. Belt selection of soft SBR soft rubber + Velcro, with soft sponge adjustable size. The connection hardware is made of stainless steel, double bearing 360° rotating design, not easy to tangle. At the same time can resist the long-term corrosion of sea water, safe and comfortable use.

02 | SUP FINS




FINS

SEGMENTED LARGE FINS (Separate type)



Product Parameters:

- 【Product name】 : Separate large fin
- 【Upper sheet material】
Raw material nylon +30% glass fiber
- 【Fin size】 : 21x18.5cm
- 【Base size】 : 24.5x11.5cm
- 【Material of base】 : PVC
- 【Fin Specification】 : 6.5"-10"
- 【Net weight】 : 0.18kg



Size, color, logo can be customized

- Shark dorsal fins are streamlined, beautiful and more maneuverable
- The material of nylon and glass fiber has higher hardness than the common PP material on the market and is not easy to appear scratches
- Pin type tail energy, more convenient in use
- The PVC base can be tested for environmental protection

Product Details



One piece molding

Insert the upper piece into the base card slot, fixed and durable



Strong nylon rope

Strong nylon rope is used to prevent the loss of latch



Double insurance

Double safety latch to prevent fin loss

Suitable for leisure board



Split small fin



Product Parameters:

- 【Product name】 : Separate large fin
- 【Upper sheet material】
Raw material nylon +30% glass fiber
- 【Base size】 : 193*78mm
- 【Base material】 : PVC
- 【Fin size】 : 240*113mm

Fixed lateral fin



Product Parameters:

- 【Product name】 : Water distributor
- 【Material】 : PVC
- 【Net weight】 : 108.2g
- 【Fin size】 : 210*65*60mm



SEGMENTED LARGE FINS (Screw type)



Product Parameters:

- 【Product name】 : Single large fin
- 【Upper sheet material】
Raw material nylon +30% glass fiber
- 【Product model】 : G3, G5, G7AM, F4, GL
- 【Custom size】 : 6.5 inches -10 inches
- 【Applicable paddle board】 : Racing board



- black
- red
- blue

Size, color, logo can be customized

- American sports large tail fin base, fit all tail fins
- Screw the tail fin to make it more firm and will not shake
- Colors can be customized according to customer needs



Product details and Features

- 1.Can make the surfboard effectively increase the tracking and handling
- 2.Generally pasted on the paddle board/kayak tail, in the encounter of rocks or other impacts, large distance,Degree of protection for paddleboards. Kayaks don't worry about damage.
- 3.Removable tail fin, quick disassembly, do not have to worry about punctured packaging or broken.





Product Parameters:

【Product name】 : Single 2-generation large fin
 【Upper sheet material】
 Raw material nylon +30% glass fiber
 【Product model】 : G3, G5, G7,AM, F4, GL
 【Custom size】 : 6.5 inches -10 inches
 【Applicable paddle board】 : Racing board



Product Parameters:

【Product name】 : Single large fin
 【Upper sheet material】
 Raw material nylon +30% glass fiber
 【Product model】 : G3, G5, G7,AM, F4, GL
 【Custom size】 : 6.5 inches -10 inches
 【Applicable paddle board】 : Racing board



Product Parameters:

【Product name】 : Single 2-generation large fin
 【Upper sheet material】
 Raw material nylon +30% glass fiber
 【Product model】 : G3, G5, G7,AM, F4, GL
 【Custom size】 : 6.5 inches -10 inches
 【Applicable paddle board】 : Racing board




Product Parameters:

【Product name】 : Single large fin
 【Upper sheet material】
 Raw material nylon +30% glass fiber
 【Product model】 : G3, G5, G7,AM, F4, GL
 【Custom size】 : 6.5 inches -10 inches
 【Applicable paddle board】 : Racing board



Product Parameters:

【Product name】 : Single 2-generation large fin
 【Upper sheet material】
 Raw material nylon +30% glass fiber
 【Product model】 : G3, G5, G7,AM, F4, GL
 【Custom size】 : 6.5 inches -10 inches
 【Applicable paddle board】 : Racing board



Product Parameters:

【Product name】 : Base
 【Length】 : 33.8*9.8cm
 【Weight】 : 228.5g
 【Material】 : ABS




SURF SMALL FIN



FUTURE FIN

【Product name】 : FUTURE Fin
【Sheeting material】 : Glass fiber/resin
【Fin size】 : 9.2x11.3cm
【Base】 : FUTURE base



FCS FIN

【Product name】 : FCS Fin
【Upper sheet material】 : Carbon fiber/honeycomb cloth
【Fin size】 : 11.2x11.7cm
【Base】 : FCS base



FCS2 FIN

【Product name】 : FCS2 Fin
【Upper sheet material】 : Glass carbon fiber
【Fin size】 : 11.2x11.7cm
【Base】 : FCS2 base



FUTURE base



FCS surf fin base



FCS2 surf fin base

Size, color, logo and style can be customized

Small fins make the tail of the paddle lighter and more flexible
Improves cornering speed, high performance surfing
Suitable for all types of conditions and skill levels

FUTURE FIN




FCS FIN



FCS2 FIN





SMALL FIN BASE



Product Parameters:

【Product name】 : FUTURE base
 【Color】 :
 Green, orange, blue, yellow, white, purple, black, red
 【Product Specifications】 :
 3 / set (with 1 FUTURE key +3 FUTURE screws)
 【Material】 : ABS



Product Parameters:

【Trade name】 : FCS G5 Fin Plug
 【Product size】 : 3.6*2.5*2
 【Product brand】 : UPSURF
 【Product color】 : Black, white
 【Product Specifications】 :
 6 G5 round cups with keys and screws
 【Material composition】 : High quality plastic nylon



Product Parameters:

【Product name】 : FCS surf fin base
 【Product specification】 : International standard size
 【Angle】 : 0 degrees, 5 degrees, 9 degrees
 【Color】 : Black, white



Product Parameters:

【Product name】 : FCS2 surf fin base
 【Product specification】 : International standard size
 【Angle】 : 0 degrees, 5 degrees, 9 degrees
 【Color】 : Black, white



FCS surf fin base



FCS2 surf fin base



FCS surf fin base



FCS G5 Fin Plug



FUTURE base



03 | SUP PADDLE

PADDLE

SINGLE BLADED PADDLE



The scale section is slotted
Designed to prevent rotation
during customer use



The original design
The scale uses laser
engraving, durable



The force point of the paddle
lock is reinforced nylon material



Camber blade design
greater water pulling force
improve stroke speed


Product Parameters:

- 【Product name】 : SUP paddle
- 【Grip material】 : PP(raw material)
- 【Paddle lock material】 : Reinforced nylon
- 【Screw of paddle lock】 : 304 stainless steel (anti-detachment)
- 【Blade material】 : PP+ glass fiber (glass fiber ratio is adjustable)
Nylon + glass fiber (glass fiber ratio is adjustable)
- 【Aluminum tube material】 : High hardness 6061 model
- 【Aluminum tube wall original】 : 1.0mm
- 【Stretching length】 : 170cm-210cm(can be customized lengthening)

TWO BLADED PADDLE



The scale section is slotted
Designed to prevent rotation
during customer use



The original design
The scale uses laser
engraving, durable



Camber blade design, greater water
pulling force, improve stroke speed



Double blade blade design can be single and
double use, independent blade is convenient to
carry, when paddling standing for a long time,
unplug the scale section, take out the blade
and plug in immediately become double blade.

Product Parameters:

- 【Product name】 : SUP paddle
- 【Grip material】 : PP(raw material)
- 【Paddle lock material】 : Reinforced nylon
- 【Screw of paddle lock】 : 304 stainless steel (anti-detachment)
- 【Blade material】 : PP+ glass fiber (glass fiber ratio is adjustable)
Nylon + glass fiber (glass fiber ratio is adjustable)
- 【Aluminum tube material】 : High hardness 6061 model
- 【Aluminum tube wall original】 : 1.0mm
- 【Stretching length】 : 200cm-240cm(customizable)

The color, logo and style of the blade can be customized

Love sports · Accessories2023



● Red

● Green

● Yellow

● Blue

● Black



CARBON PADDLE

Product details

Product Parameters:

- 【Product name】 : Carbon paddle
- 【Total length】 : 210cm
- 【Material】 : Carbon fiber + nylon lock
- 【Blade size】 : 40*20.5cm



CARBON PADDLE

Love sports · Accessories2023

Product Parameters:

- 【Product name】 : Carbon paddle
- 【Total length】 : 220cm
- 【Material】 : Carbon fiber + nylon lock
- 【Blade size】 : 40*20.5cm

Product details



ALUMINIUM ALLOY PADDLE




Product Parameters:

- 【Product name】 : Aluminum alloy paddle
- 【Total length】 : 215cm
- 【Material】 : Aluminum alloy
- 【Blade size】 : 40*20cm
- 【Adjustable length】 : 175-215cm
- 【Weight】 : 1.75kg

Product Features

- Streamlined blade design provides customers with perfect use experience
- Simple and fast length adjustment system
- Three sections, easy to pack and carry
- Materials, LOGO and makeup can be customized according to customer needs

ALUMINIUM ALLOY PADDLE



Product Parameters:

- 【Product name】 : Sup&Kayak paddle
- 【Total length】 : SUP215cm/KAYAK paddle 220cm
- 【Material】 : Aluminum alloy
- 【Blade size】 : 40*20cm
- 【Weight】 : 1.64kg

Product Features

- Streamlined blade design provides customers with perfect use experience
- Simple and fast length adjustment system
- Four sections, easy to pack and carry, the longest packing length is 85cm
- Materials, LOGO and colors can be customized according to customer needs

NON-SLIP MAT

WATERPROOF EVA

Environmentally friendly material, lighter, thinner and more waterproof



04 | SUP NON-SLIP MAT

EVA PATTERN




Vertical stripe



Diamond shaped texture



Large square



Small square

Product details and features



01

Practical and versatile texture

Comfortable and breathable products, soft and elastic, high toughness, with good shock/buffer effect

A variety of texture styles to choose from, color, style, logo are free to customize

02

Go green

Using green environmental protection and healthy materials
Recyclable, pollution-free
Feel free to use.



03

Strong applicability

The use of advanced equipment, skilled technology
Delicate bubble, sound insulation effect is good

04

Heat preservation and durability

Strong corrosion and wear resistance
heat insulation and cold proof
Excellent low temperature performance
cold resistance to exposure



Other Features

Water resistance

Closed bubble structure, no water absorption, moisture resistance, good water resistance.

Corrosion resistance

Corrosion resistance of seawater, grease, acid, alkali and other chemicals.

Machinability

No joint, and easy to hot pressing, cutting, gluing, laminating and other processing.

Shockproof action

High resilience and tension resistance, strong toughness, with good shockproof/buffer performance.

Sound insulation

Closed bubble hole, sound insulation effect is good.



TYPES OF ANTI-SLIP PADS



Two-piece anti-slip pad

【Product name】 : Anti-skid pad
 【Number of films】 : 2
 【Thickness】 : 5mm
 【Heel thickness】 : 25mm



Three-piece anti-slip pad

【Product name】 : Anti-skid pad
 【Number of films】 : 3
 【Thickness】 : 5mm
 【Heel thickness】 : 25mm



Four-piece anti-slip pad

【Product name】 : Anti-skid pad
 【Number of films】 : 4
 【Thickness】 : 5mm
 【Heel thickness】 : 25mm



Five-piece anti-slip pad

【Product name】 : Anti-skid pad
 【Number of films】 : 5
 【Thickness】 : 5mm
 【Heel thickness】 : 25mm

Eight-piece anti-slip pad



Product Parameters:

【Product name】 : Anti-skid pad
 【Number of films】 : 8
 【Thickness】 : 5mm
 【Heel thickness】 : 25mm

05 | SUP PUMP

ONE WAY PUMP



Product Parameters:

- 【Product name】 : SUP one-way pump
- 【Pressure gauge】 : Highly sensitive pressure gauge with Tong core
- 【Bidirectional switch】 : PP(raw material)
- 【Barrel body】 : PP(raw material)
- 【Inside of simple body】 : PP(raw material)
- 【Handle】 : 2MM wall thick aluminum tube +ABS piston



Product Features

- High sensitivity of the pressure gauge, starting to display 2psi in the inflatable paddle
- It is convenient to connect the hose to the air, and the flexible design can prevent the hose from rotating
- The gasket at the end of the paddle plate connected to the hose is 5mm, and the thickness of the slot is 4mm after it is turned over. The gasket with independent packaging is 3mm, which is suitable for all air valves

TWO-WAY AIR PUMP



Product Parameters:

- 【Product name】 : SUP two-way pump
- 【Pressure gauge】 : Highly sensitive copper core pressure gauge
- 【Bidirectional switch】 : PP(raw material)
- 【Barrel body】 : PP(raw material)
- 【Inside of simple body】 : PP(raw material)
- 【Handle】 : 2MM thick aluminum tube +ABS piston +8 air intake bodies

Product Details



Air pressure indicator

The specific pressure value can be clearly known



Air intake air filter

Avoid dust and impurities in the air entering the pump when pumping



Aluminum alloy pump main rod

Smooth surface,easy to carry not easy to rust



Thickened pedals

Anti-slip stripe design, thickened not easy to break

Product Features

- High sensitivity of the pressure gauge, starting to display 2psi in the inflatable paddle
- Gas simple two-way switch eye-catching, easy to operate
- It is convenient to connect the hose to the air, and the flexible design can prevent the hose from rotating
- The gasket at the end of the paddle plate connected to the hose is 5mm, and the thickness of the slot is 4mm after it is turned over. The gasket with independent packaging is 3mm, which is suitable for all air valves
- There are 8 air pads up and down the piston, and the air output and extraction are larger than the conventional air cylinder



06 | OTHER ACCESSORIES

WRENCH

SUP PNEUMATIC VALVE WRENCH



Product Parameters:

【Product name】 : Six-tooth wrench
 【Material】 : Reinforced nylon

【Product name】 : Eight-tooth wrench
 【Material】 : Nylon (raw material)
 【Size】 : 16cm
 【Weight】 : 23g

Product Features

- Pure raw material production
- Hard quality
- There is no quality problem with random stomping

A paddle board repair fitting, usually placed in a repair cylinder

SEAT CUSHION



Product Parameters:

- 【Product name】 : Seat cushion
- 【Size】 : The upper size is 53x46cm
- 【Lower size】 : 39x34cm
- 【Color】 : Black + gray
- 【Engineering】 : Cold press forming, sewing
- 【Without bag weight】 : 1.15kg
- 【Bag weight】 : 1.45kg



No bag seat cushion



Seat cushion with bag style

Product details and features



EVA submembrane

EVA pressure film is made of precision aluminumfilm one-time subfilm molding, good elasticity



Band the edge

The outer ring of the product is made of encrypted webbing to increase the beauty and strength of the product



Double thread suture

The upper and lower joint part adopts the double thread stitching process to increase the firmness



Strong strength hook

Quick disassembly strong hook, easy installation and disassembly can rotate 360 degrees



High quality accessories

Webbing adopts multi-diameter thickened webbing, environmental protection POM plastic accessories thickened design



600D Oxford cloth

The small bag adopts the PVC gluing process on the back of 600D Oxford cloth for the stitching part of the double line edge pressing

REPAIR KIT



Product Parameters:

- 【Material】 : Raw material PE+ABS
- 【Straight diameter】 : 75mm
- 【High degree】 : 188cm
- 【Weight】 : 53g

Product Features

- Raw material processing and production, moderate hardness, easy to screw
- Colors can be customized according to customer needs

Repair kit combination



Glue with PVC sheet

Pneumatic valve wrench

BACKPACK



Product Parameters:

- 【Product name】 : SUP backpack
- 【Size】 : 83*46*22cm
- 【Color】 : Black, color can be customized
- 【Fabric name】 : 600D Oxford cloth black
- 【Fabric specification】 : 600D
- 【Fabric composition】 : Cloth cover 100% polyester
Coated 100%PVC
- 【Fabric parameters】 : 600D*300

Product Features

- The interior of the backpack is pocket-type design
- The straps are made of comfortable and thickened material, which conforms to the ergonomic structure design
- Zip-up opening and closing makes it easier to take and store objects
- Both upper and lower are equipped with horizontal bindings

Logo and color can be customized according to customer needs

CARBON FIBER HYDROFOIL



Product Parameters:

- 【Material】 : Aluminum alloy + carbon fiber
- 【Mast size】 : 61/70/90cm
- 【Body size】 : 73-76cm
- 【Fore wing】 : 68*26cm
- 【Tail wing】 : 49*9.5cm
- 【Weight】 Aluminum alloy and carbon fiber: 5.13/5.37/5.75KG
- Full carbon fiber: 4.88/5.13/5.5KG



Product Features

- The material adopts heat treatment technology, tough and masculine
- Simple design, simple but not simple, easy to install, easy to do
- High quality products, carefully packaged

Size, style and material can be selected according to customer requirements



The aluminum alloy material is durable

